

Interf  
Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1593	((60/204) or (60/226.2) or (239/265.17) or (239/265.19) or (181/213) or (181/220)).CCLS.	USPAT	OR	OFF	2005/10/17 08:39
L6	10822	(gas or combust\$7) near3 turbine\$2 or (turbofan\$4 or turbofan\$4 or fanjet\$2) or jet\$3 near2 (engine\$2 or fan\$1 or turbo\$1) or engine\$2 near3 (aircraft\$3 or aerospace\$2 or airplane\$3)	US-PGPUB	OR	OFF	2005/10/17 08:39
L7	2	(lobe\$3 or chut\$4 or daisy\$5) near7 (mix\$3 or mixer\$4) same (adjust\$3 or adjusting\$3 or adjusta\$4 or adjusti\$4 or variab\$5 or variat\$4 or vary\$5) with (area\$2 or width\$2 or wide\$2)	US-PGPUB	OR	OFF	2005/10/17 08:40
L8	11976	(adjust\$3 or adjusting\$3 or adjusta\$4 or adjusti\$4 or variab\$5 or variat\$4 or vary\$5) near3 (strut\$3 or thread\$4 or screw\$4)	US-PGPUB	OR	OFF	2005/10/17 08:39
L9	22	(lobe\$3 or chut\$4 or daisy\$5) near7 (mix\$3 or mixer\$4) same (deform\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/17 08:40
L10	144	6 and (7 or 8 or 9)	US-PGPUB	OR	OFF	2005/10/17 08:40
S1	4063	(lobe\$3 or chut\$4 or daisy\$5) near7 (mix\$3 or mixer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:25
S2	87	(lobe\$3 or chut\$4 or daisy\$5) near7 (mix\$3 or mixer\$4) same (adjust\$3 or adjusting\$3 or adjusta\$4 or adjusti\$4 or variab\$5 or variat\$4 or vary\$5) with (area\$2 or width\$2 or wide\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/17 08:40
S3	143510	(gas or combust\$7) near3 turbine\$2 or (turbofan\$4 or turbofan\$4 or fanjet\$2) or jet\$3 near2 (engine\$2 or fan\$1 or turbo\$1) or engine\$2 near3 (aircraft\$3 or aerospace\$2 or airplane\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:50
S4	20	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 12:59

S5	377	S1 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 12:59
S6	357	S5 not S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:22
S7	3031	((60/262) or (60/264) or (60/39.52) or (39/265.17) or (239/265.19) or (239/265.23-265.43) or (181/213) or (181/220)).CCLS.	USPAT	OR	OFF	2005/10/14 15:22
S8	4445	((60/262) or (60/264) or (60/39.52) or (39/265.17) or (239/265.19) or (239/265.23-265.43) or (181/213) or (181/220)).CCLS.	USPAT; USOCR	OR	OFF	2005/10/14 15:55
S9	148	S1 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:24
S10	0	S9 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:24
S11	4610	adjust\$7 near3 strut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:56
S12	4	S1 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:51
S13	158547	adjust\$7 near3 (thread\$5 or screw\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:56
S14	67	S1 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/10/14 13:53
S15	135344	(adjust\$3 or adjusting\$3 or adjusta\$4 or adjusti\$4 or variab\$5 or variat\$4 or vary\$5) near3 (strut\$3 or thread\$4 or screw\$4)	USOCR	OR	OFF	2005/10/14 13:57
S16	95	S15 and S1	USOCR	OR	OFF	2005/10/14 13:59
S17	252	howald.in.	USPAT; USOCR	OR	OFF	2005/10/14 14:02

S18	0	S1 and S17	USPAT; USOCR	OR	OFF	2005/10/14 14:02
S19	37	S17 and S3	USPAT; USOCR	OR	OFF	2005/10/14 14:02
S20	22	(lobe\$3 or chut\$4 or daisy\$5) near7 (mix\$3 or mixer\$4) same (deform\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 14:06
S21	8	(S3 or S8) and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/10/14 14:07
S22	1	("20040159092").PN.	US-PGPUB	OR	OFF	2005/10/14 15:54
S23	0	("6854260").PN.	US-PGPUB	OR	OFF	2005/10/14 15:54
S24	1	("6854260").PN.	USPAT; USOCR	OR	OFF	2005/10/14 15:55
S25	18	("3048975"   "3696617"   "3749316"   "4117671"   "4335801"   "4422524"   "4548034"   "4666104"   "4813230"   "5127602"   "5222359"   "5440875"   "5592813"   "5706651"   "5761900"   "5884472"   "6233920").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 15:55